

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
<p>Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.</p>					
1. REPORT DATE (DD-MM-YYYY) March 2015		2. REPORT TYPE Briefing Charts		3. DATES COVERED (From - To) March 2015-March 2015	
4. TITLE AND SUBTITLE Emergent cure chemistry in the development of aerospace materials				5a. CONTRACT NUMBER In-House	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Guenthner, Andrew; Reams, Josiah; Marcischak, Jacob; Ford, Michael; Haddad, Timothy; Mabry, Joseph				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER Q0BG	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Air Force Research Laboratory (AFMC) AFRL/RQRP 10 E. Saturn Blvd. Edwards AFB, CA 93524-7680				8. PERFORMING ORGANIZATION REPORT NO.	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) Air Force Research Laboratory (AFMC) AFRL/RQR 5 Pollux Drive Edwards AFB CA 93524-7048				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S) AFRL-RQ-ED-VG-2015-088	
12. DISTRIBUTION / AVAILABILITY STATEMENT Distribution A: Approved for Public Release; Distribution Unlimited.					
13. SUPPLEMENTARY NOTES Technical paper and briefing charts presented at 249th National American Chemical Society Meeting, Denver, CO; March 24, 2015. PA#15125					
14. ABSTRACT Briefing Charts					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON Joseph Mabry
a. REPORT Unclassified	b. ABSTRACT Unclassified	c. THIS PAGE Unclassified			19b. TELEPHONE NO (include area code) 661-525-5857



Emergent cure chemistry in the development of aerospace materials

Andrew J. Guenthner, Josiah T. Reams, Jacob C. Marcischak, Michael D. Ford, Timothy S. Haddad, Joseph M. Mabry

ACS National Meeting
25 March 2015



Joseph M. Mabry, Ph.D.
Air Force Research Laboratory
joseph.mabry@us.af.mil
(661) 275-5857

DISTRIBUTION A: Approved for public release; distribution is unlimited



Outline



- **Goal**

- Investigate polymeric cure systems with crosslinking chemistries that are unlikely to pose health concerns now and in the future

- **Objective**

- Synthesis of new isocyanate-free candidate binder formulations
- Determine impact physical and mechanical properties
- Demonstrate the use of new polymeric binders in binder formulation

- **Technical Challenges**

- Maintain energy content and I_{sp}
- New system must conform to current binder processing operations
- Retention of physical and mechanical properties of HTPB / isocyanate systems
 - Low T_g
 - High elongation to break
 - Compatibility with high solids loading

- **Approach**

- Nucleobase binding
- Thiolene “click” chemistry

Acknowledgements:


- Strategic Environmental Research and Development Program (SERDP)
- Air Force Office of Scientific Research, Air Force Research Laboratory – Program Support; PWG team members (AFRL/RQRP)






Background: Isocyanates

- Isocyanates are prized for their high reactivity; they are particularly useful for production of energetic materials where high temperatures must be avoided
- Isocyanates are a respiratory irritant and a significant cause of occupational asthma
- Sensitization can occur at very low levels of exposure, with effects continuing for many years afterward
- Cross-sensitization (e.g. dermal exposure leading to sensitization of respiratory tract) has also been reported.
- Isocyanates are not found in nature; their high reactivity without specificity makes them unsuitable for complex biological systems
- Increased regulation will result in increased cost and eventual unavailability in the U.S.






Nucleobase Binding



- **DNA is biologically ubiquitous therefore no current environmental regulation and likely no regulation in the future**
- **Potential advantages**
 - Dynamic covalent chemistry is a hot topic
 - Potential for self-healing properties
 - Reversible crosslinks have the potential for easy demilitarization
 - Insensitivity
- **Potential risks of nucleobase crosslinked polymer systems**
 - Polymers containing nucleobase monomers are rare and therefore are not commercially available
 - Properties not well understood





Incorporation of Nucleotide Bases in Polybutadiene



Adenine and thymine monomeric units were synthesized by Michael addition of a nucleobase with butanediol diacrylate. Incorporation of aliphatic spacer is expected to promote compatibility with HTPB and retention of desirable properties

Cheng, S.; Zhang, M.; Dixit, N.; Moore, R. B.; Long, T. E. *Macromolecules*, **2012** 45, 805-812.


- Copolymerization of either adenine or thymine methacrylate with butadiene gives an "A" and "B" complimentary copolymers
- Nucleobases do not have the energy density of hydrocarbon therefore small amounts of nucleobase incorporation into polymers is desirable



- When in the presence of each other complimentary copolymers associate and form a crosslinked system consisting of hydrogen bonds
- Both components exist as low viscosity liquids and do not self-associate
- When mixed together, the two part system is initially a low viscosity liquid that forms a crosslinked network as complimentary nucleobases associate




Butadiene Polymerization / Butyl Methacrylate Copolymerization



- Optimization of butadiene polymerization performed in toluene and DMSO with AIBN as initiator
- Polymerization performed at 70 °C for 48 hours at approximately 2 atm
- Polybutadiene contained 20% 1,2 addition
- Overall yield of ~20% was obtained from multiple polymerizations

- Due to the low yield of butadiene polymerization, copolymerization of butadiene with butyl methacrylate was performed to estimate expected incorporation of nucleobase acrylate with a given feed ratio
- Copolymerization of butadiene with butyl methacrylate was performed in toluene with AIBN as initiator
- Butyl acrylate incorporation of 3.2 mol% was obtained from a 2 mol% feed ratio
- Overall yield of 22% was consistent with butadiene homopolymerizations







Adenine and Thymine Acrylate / Butadiene Copolymerization



- Copolymerization of adenine acrylate with butadiene was performed in DMSO with AIBN as the initiator
- Adenine acrylate incorporation of 2.5 mol% was obtained from a 4 mol% feed ratio



- Thymine acrylate incorporation of 2.7 mol% was obtained from a 4 mol% feed ratio
- Adenine acrylate and thymine acrylate appear to have near identical reactivity ratios as would be expected
- Overall yield of ~20% for adenine and thymine copolymerizations was consistent with butyl methacrylate copolymerization with butadiene







Adenine Acrylate Co-Butadiene Polymerization Variability





- Thymine copolymer displays low T_g comparable to polybutadiene homopolymer, however Adenine copolymer self associates
- Variability in Adenine copolymerization was observed with respect to nucleobase incorporation



2.5 mol % adenine incorporation






9.0 mol % adenine incorporation










DNA Nucleobase Polymer Properties



- In polar media adenine units do not self associate, however non-polar media promotes self-association
- Self association of individual “part A” or “part B’ components makes mixing of two components difficult
- Too many unknown characteristics of self- and cross-association for near-term development of reliable cross-linking substitute




Carbon-Sulfur Bonds as Crosslinks



- Many sulfur containing compounds exist in nature including proteins
- Thiol-ene chemistry not biologically ubiquitous like nucleobase binding
- Thiol-ene chemistry similar to free radical in terms of reactivity but with more control and selectivity
- Utilization of existing vinyl double bonds in commercial polybutadiene



Thiol-Ene Chemistry




- Thiol-ene chemistry is a hybrid of free radical and condensation chemistry. It combines the speed and ease of initiation of free radical chemistry with the product specificity of condensation chemistry.
- As a type of “click” chemistry, it generates no volatiles and minimal side products.




Peroxide Catalyzed Thiol-ene Click




Peroxides




Lauroyl Peroxide
Luperox ® LP
64 °C




t-butylperoxy 2-ethylhexyl carbonate,
Luperox ® TBEC
100 °C




t-butyl peroxybenzoate
Luperox ® P
104 °C



Benzoyl Peroxide
73 °C






AIBN



Dicumyl Peroxide
117 °C (DCP)

Thiols




1,9-Nonanedithiol, 95%

- Many available peroxide initiators with different 10 hour half-life temperatures allow reactivity to be tuned to processing conditions
- Ratio of peroxide to thiol can be varied to tune rate of initiation
- Choice of thiol affects crosslink density and hydrolytic stability
- TBEC initiated nonanedithiol /HTPB cure was chosen to match current HTPB-isocyanate processing conditions at 60 °C




Thiol-ene Crosslinked HTPB



- HTPB cured with 1,9-nonanedithiol / TBEC (peroxide) at 5:1 SH / O₂, 60 °C, for 8 days under N₂. Data point labels (left figure) indicate fraction of available –SH incorporated into gel, a measure of conversion.
- Glass transition temperatures remain at acceptable levels over a wide range of cure conditions




Importance of Network Architecture



Chain backbone (1,4 addition)

Vinyl groups (1,2 addition)

Hydroxyl end groups





- Free radical polymerized HTPB
 - Mixture of 1,4 and 1,2 addition
 - Hydroxyl end-group functionality 2.4-2.6 / per chain
 - T_g -75 °C
 - Molecular Weight M_n = 2800 g/mol
 - Polydispersity ~2.5









Importance of Network Architecture



Isocyanates react only with end groups, producing few branches and junctions




Thiols react with pendant vinyl groups, producing many junctions and branches




Reproduction of correct polymer architecture is necessary to obtain correct mechanical properties



Thiol-ene cured HTPB Modulus



Luperox® P



Luperox® TBEC

Peroxide	Thiol	SH:HTPB	Theoretical Modulus (psi)	Measured Modulus* (psi)
Luperox P	1,9 Dithiol	3:1	215	141
Luperox P	1,9 Dithiol	4:1	360	331
TBEC	1,9 Dithiol	3:1	492	419
TBEC	1,9 Dithiol	4:1	851	502

* Compressive modulus at 298K measured by thermomechanical analysis (TMA)

- Mechanical property data suggests thiol-ene cured HTPB has a lower molecular weight between crosslinks and isocyanate cured HTPB
- Reaction at chain ends rather than at pendant vinyl groups is necessary to achieve correct architecture and mechanical properties



Strategies for Correct Architecture



- **HTPB without vinyl side groups**
- **Polybutadiene (PB) with low vinyl incorporation**
 - Polybutadiene with 1% vinyl
 - Difficult to tell the position of vinyl groups on polymer chain
 - Initial investigation with nonanedithiol cure produces elastomeric material
- **Thiol-terminated polyethylene glycol (PEG) system**
 - Co-cured with di and tri-functional vinyl compounds
 - Demonstration of principle in progress
- **Thiol-terminated polybutadiene**
 - Co-cure with di and tri-functional vinyl groups
 - Presence of main chain vinyl groups will result in intramolecular reaction / cyclization
 - Synthesis of polybutadiene with di-anionic initiator to produce cis-1,4 substituted polybutadiene



Impact of Results on Future DoD Operations



- **Elimination of isocyanates alleviates a major occupational health and safety concern in the manufacture and use of solid rocket motor propellants**
- **Elimination of isocyanates also mitigates issues related to moisture sensitivity during propellant mixing and casting, and may reduce some forms of degradation during long-term storage in humid environments**
- **Replacement of isocyanates with chemical groups that are ubiquitous in the biosphere will greatly reduce the risk associated with future regulation / obsolescence throughout the manufacturing, use, and de-militarization life cycle**
- **Alternative cure chemistries that are successful for solid rocket motors may be transitioned to other applications, such as paints, foams, sealants, and adhesives that also represent a significant source of occupational health risk for DoD and DOE**



Future Effort and Transition Plans



- **Project focus shifting towards demonstration of energetic propellant formulations**
- **If energetic formulations demonstrate acceptable properties, then a full SERDP program utilizing thiol-ene cured binders will be proposed**



Conclusions

- **Increasing regulation of isocyanates in the workplace poses a significant, but not insurmountable, challenge to DoD/DOE operations**
- **DNA nucleobase technology represents a promising future path to isocyanate replacement, but is not yet mature enough for near-term development in solid rocket motors**
- **Thiol-ene chemistry represents a safer alternative to isocyanate chemistry that remains a promising candidate for near-term development in solid rocket motor propellants**
- **When paired with the proper polymer architecture, thiol-ene based propellants will offer simpler manufacturing, improved quality control, greatly reduced occupational health and safety concerns, and some potential decrease in humid ageing in solid rocket motor propellants**

QUESTIONS?



U.S. AIR FORCE